



TPG 361 controller for 1 gauge






TPG 361 controller for 1 gauge

- For operation of one gauge with analog output signal
- Brilliant display
- Two configurable relay set points
- Versatile connectivity: USB, RS-485, Ethernet
- Direct data storage on USB flash memory (data and settings)
- Can be used as table top or as rack mount unit

Dimensions



Technical Data	TPG 361 controller for 1 gauge
Connection for gauge	1
Display rate	≥ 10 Hz
Error signal: Switching current AC	1 A
Error signal: Switching voltage max. AC	30 V
Error signal: Working contact, potential-free	1 Pcs.
Filter time constant	0.75/0.15/0.02 s
Interface	USB, RS-485, Ethernet
Mains requirement: frequency (range)	50/60 Hz
Mains requirement: power consumption	45 VA
Mains requirement: voltage (range)	100-240 V
Measunging channel	1 Pcs.
Measurement range max.	5.5 · 10 ⁴ hPa 4.12 · 10 ⁴ Torr 5.5 · 10 ⁴ mbar
Measurement range min.	5 · 10 ⁻¹¹ hPa 3.75 · 10 ⁻¹¹ Torr 5 · 10 ⁻¹¹ mbar
Measurement rate	≥ 100 Hz
Protection category	IP20
Safety	CE, UL
Set point: Changeover contact, potential-free	2 Pcs.
Signal output: Measuring value, analog	0 – 10 V
Temperature: Operating	5-50 °C 41-122 °F 278-323 K
Temperature: Storage	-20-60 °C -4-140 °F 253-333 K
Weight	1.1 kg 2.43 lb

Order number	
TPG 361	PT G28 040

Accessories	
Accessory	
Mating connector	B 4707 283 MA
Measurement cable	
Sensor cable, 1 m	PT 448 248 -T
Sensor cable, 3 m	PT 448 250 -T
Sensor cable, 6 m	PT 448 251 -T
Sensor cable, 10 m	PT 448 252 -T
Sensor cable, 15 m	PT 448 253 -T
Sensor cable, 20 m	PT 448 254 -T
Sensor cable, 25 m	PT 448 255 -T
Sensor cable, 30 m	PT 448 256 -T
Sensor cable, 35 m	PT 448 257 -T
Sensor cable, 40 m	PT 448 258 -T
Sensor cable, 45 m	PT 448 259 -T
Sensor cable, 50 m	PT 448 260 -T
Software	
Software for display and data logging for ActiveLine	PT 882 550 -T

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems: We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities! We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a perfect vacuum solution? Please contact us:

Pfeiffer Vacuum GmbH Headquarters · Germany T +49 6441 802-0 info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com